G. R. S. 59] Sanitary GPB—15,000—20 12-18

GENERAL AND REVENUE SECRETARIAT.

191 .

(Sanitary)

File No. 1 of 98

P. 16

Serial Nos. 1–9

~~**Papers Filed.**~~

B

Month

SUBJECT.

Retention of the Services of some P. W. officers in the Plague Deptt

PREVIOUS REFERENCES.	LATER REFERENCES.
	Indexed : N Pattabhiramaiyah Communicated SG

~~189~~

From The Superintending Engineer
Samoa Group

To The Resident Commissioner
Apia Samoa

Dated Pangopango, 1st Dec 1915

Despatched

Received

General No. 2544
No. 866 in
Enclosure No.

24/10-1916

I have the honor to inform you that the Services of a Government Engineer are required here for the Construction of the Water Works at Apia and that the most convenient arrangement would be for one of the P.W.D. Subordinates here to be made available for this work.

Sent accordingly
ks
18/6

I have

Overseer Sreekantiah is an efficient man for the work There are three Overseers of this Department also engaged in taking levels but the progress is not sufficient to ensure completion of the Scheme within the time personally promised by the undersigned

II It is therefore requested that orders may be sent to the President to transfer Sreekantiah for six weeks to the Sanitary Circle

Superintending Engineer
Sanitary Works

3

SECTION Sanit. 1899

FILE No.

MYSORE P. W. DEPARTMENT

No. 3529

JUL 9 1899

From

The Chief Engineer of Mysore,

Bangalore.

To

The Plague Commissioner
in Mysore

Dated Bangalore 8th July 1899

Despatched

Enclosure No.

SUBJECT.

3

SECTION ——

FILE NO. ——

MYSORE P. W. DEPARTMENT,

No. 35 [illegible] CENTRAL OFFICE,

Bangalore. 8th July 1899

From

The Chief Engineer of Mysore,
Bangalore.

To

The Plague Commissioner
in Mysore.

SIR,

I have the honor to request that you will be good as to inform me whether you still require the services of the marginally noted Subordinates of this Department who were deputed for Plague duty.

I have the honor to be,
Sir
Your most obedt Servt

J. M. Canthan Colonel,
Chief Engineer of Mysore

N 262-3 N
Recd 10/7/99
HD-55

(1) Overseer B. N. Srikantiah — with the Personal Clerk
(2) Sub Overseer V. K. Rajagopal Moodr. — Mc Bond Bangalore
(3) — do — B.G. Mahomed Khan. — Mysore

Good

10/7/99

4 83

SECTION. Sanry

FILE No. 1898

SER No. 21

Office of the Municipal Commission,

City, Bangalore, 17 July 1899

No. 6

From

THE PRESIDENT,

MUNICIPAL COMMISSION,

BANGALORE CITY.

OFFICE OF THE PLAGUE COMMISSIONER
Fr. No. 544
JUL 17 1899
IN MYSORE.

To

The Plague Commissioner
in Mysore
Bangalore.

Sir,

With reference to your Official Memorandum No. 262-3 dated 11th Instant forwarding Copy of Chief Engineer's letter No. 3529 dated 8th idem enquiring whether the services of the marginally noted Subordinates of the Public Works Department who were deputed for plague duty are still required, I have the honor to state that the services of these Subordinates are now no longer required for plague duty in marking out Convers-

(1) Overseer B. R. Executive
(2) Sub Overseer V. R. Rajagopal Naidu

Put up 18/7/99

Rejoinder 18/7/99

(6)

Wanted

duties, superviewing the demolition of old and dangerous houses and also in preparing and carrying out projects connected with the burning and burial grounds in the City. For all this work the present Public Works establishment of the Municipality is not sufficient. It is therefore necessary that the services of these two officials should be spared for another 6 months at least. I beg that the Chief Engineer may be kindly addressed accordingly.

2 I beg to add that on Mr. Lee's urgent requisition Conveyed through Jon overseer Sreekantiah's services have been lent to the Sanitary

Works

6

Works Department for six weeks

I have the honor to be
Sir
Your most obedient Servant

W. H. Hammett
President

MHH

7

SECTION Plague 1899.

From

FILE No. 3

643

To The President
City Municipality
Mysore

To The Plague Commissioner
in Mysore

Dated 18th July 1899

Despatched

Received

General No. 10 } 189

Enclosures—Number.

Sir,

With reference to your docket No: 262-3 dated 11th Instant forwarding the Copy of Chief Engineer's letter No 3529 dated 8th July/99 enquiring whether the services of Sub overseer Mohamed Khan are still required I have the honour to state that his services are required till the

Recd. Docket of 21/7/99 by

Refd. Claims Branch A/c Branch 24/7/99

Completion of Weavers lines which will be finished by the end of next month

I have the honour to be
Sir
Your Most Obedient Servant
H Spencer Lefroy
For President.

9 Drafts

1899

SECTION Sdy From Ne DC in Mysore

FILE NO. 1899

To Ne Chief Engineer in Mysore

Dated 21/7/99

Despatched

Received

General No. 463

No.

Enclosure No.

Sir

With reference to your letter No 3529 dated 8th July 1899, enquiring how long the services of Messrs B V Srikantiah, & Subbaraya V K Rajagopal Iyengar & B C Nanjundiah who may be returned to the Mysore Govt- I have the honor to state that the Chief Engineer Director of Public Instruction Bangalore and Under Secretary to Govt

are working Coursers
at present ~~that~~
~~there~~ Service ~~should~~
~~be retained~~ for
another 6 months at
Cent^e and that the
Resident Municipal
Commr ~~be~~ appointed under
whom ~~the Contractor~~ Mohammed Khan
working says that his
~~Contract~~ ~~Khan's~~ carts
will be required
till the end of August 1895
& he request that he
will be paid
as he have all
others till the
respective periods
mentioned above

Thanking

Yours
21/7/95.

//

1899

MYSORE P. W. DEPARTMENT.

No. 3918

From

The Chief Engineer of Mysore,

Bangalore.



To

The Plague Commissioner
in Mysore

Dated Bangalore 26th July 1899.

Despatched

Enclosure *No.*

SUBJECT.

SECTION Famine

FILE No. 1698

MYSORE P. W. DEPARTMENT,

No. 3918

CENTRAL OFFICE,

Bangalore, 26th July 1899

From

The Chief Engineer of Mysore,
Bangalore.

To

The Plague Commissioner
in Mysore.

SIR,

In acknowledging the receipt of your letter No. 463 of the 21st instant I have the honour to inform you that there is no objection to the services of Overseer B. N. Srikantiah and Sub Overseers Rajagopaul Moodi & Mahomed Khan (who are under the Presidents of the Bangalore and Mysore Municipalities,) being retained, but it is hoped that they will be ordered to revert as soon as the necessity for their services ceases.

Re fo pelag

I. These subordinates have not been replaced in this Department, and their continued absence must necessarily have the effect of retarding Public Works Operations.

I have the honour to be
Sir
Your most obedient Servant

J. Cameron Colonel,
Chief Engineer of Mysore

59-60
28-7-99

P.c.v. to the Presidents of Municipalities Bangalore & Mysore (vide reference) their letters Nos 65+10 of 17th + 18th July resp. while the intimation that the subordinates referred to should be sent back as soon as possible

28/7/99

12

SECTION Sanitary 1899

FILE No. 1698 7

From

The President
City Munpl. Coun.

To

The Chief Engineer
in Mysore
Bangalore

Dated
Despatched 12 September 1899
Received

General No. 227
No.

Enclosure No.



In continuation of this Office Docket No 216 of the 4th Instant has the honor to state that Sub-Overseer Rajagopal Moodn has been ordered to report himself to the Chief Engineer as his services are no longer required

Items submitted & sent - Remitg cutts memo &c
13/9/99

Rect 14.9.99
Memo Def Put wh

Memo 14.9.99

Fair Draft Note

File

15/9/99

Central Jail Press, Bangalore.—21-9-98.—49,302.

in Connection with plague preventive measures.



S/. K. P Puttannachetty
President

No 228. 9/13th September 1899. Memo

Copy of the above is forwarded to the Plague Commissioner in Mysore for information.

P Puttannachetty
President

mgk

14 1899

SECTION Camp From
FILE No. Office
To

The President City Municipal
No Bangalore

Dated 15th Sept/99
Despatched 16-9-99
Received
General No. 1813
No

Enclosure No.

His kt 228 dated 13th instant forwarding copy of letter &c. 227 dated 12th instant addressed to the Chief Engineer in Mysore Stating that Sub-overseer Rajagopal Iyengar has been ordered to report himself to the Chief Engineer as his services were no longer required in connection with plague preventive measures.

With reference to the above has the honor to request that the President will be good enough

15

To State from what date the
Sub-overseer referred to was
relieved ~~from~~ of his plague work in the city

H B
15/9/99
for plague Commissioner

16

SECT. Survey

Office of the Municipal Commission,

City, Bangalore, 21st September 1899

No. 242

From

THE PRESIDENT

MUNICIPAL COMMISSION,

BANGALORE CITY.

OFFICE OF THE PLAGUE COMMISSIONER IN MYSORE
R. No. 2824
SEP 22 1899
26

The Plague Commissioner
in Mysore
Bangalore

Sir,

With reference to your letter No. 1813 dated 15th instant, I have the honor to state that Sub-Overseer Rajagopal Moodaliar was relieved of his duties on the 19th instant.

I have the honor to be
Sir
Your most obedient Servant

President

22/9/99

Put up
28/9/99

Filed